



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005604777

Filing Deadline: January 15, 2013

FRN: 0009821547

Filing Date: 01/15/2013 02:19 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Manti Tele Communications Company, Inc.

Brand Names: Breakaway Wireless

PO Box:

Street Address: 40 West Union

City: Manti

State: UT

Zip Code: 84642

Contact Name: Joshua Terry

Contact Phone: (435) 835-2929

Contact Fax:

Contact Email: josh@breakawaywireless.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Blooston, Mordkofsky, Dickens, Duffy & Prendergast, LLP

PO Box:

Street Address: 2120 L Street, N.W., Suite 300

City: Washington

State: DC

Contact Name: Harold Mordkofsky
Contact Phone: (202) 828-5520
Contact Fax:
Contact Email: halmor@bloostonlaw.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.breakawaywireless.com>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: The Filer maintains a public website where information is provided regarding hearing-aid compatible handsets offered.

Methodology for Functionality Levels

- 1) BASIC: entry level devices that are offered for low cost or free.
- 2) FEATURE: devices with more advanced features and capabilities.
- 3) SMART: devices that run complete operating system software as a platform for application developers.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 26

Air Interface	Fully Hearing Aid Compatible Number Percent		Acoustic Coupling Compatible Only Number Percent		Non-Compliant Handsets Number Percent		Excluded Handsets Number	Total by Air Interface
CDMA	19	73%	7	27%				26

Handset 1: Motorola Milestone

Handset Maker

Motorola

Handset Model Name

Milestone

FCC ID

IHDP56KC2

Air Interfaces/Frequency Bands

850 MHz CDMA

1800 MHz CDMA

Dates

This handset model was offered from: 12/10 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMART

Remarks

Handset 2: Motorola W845 Quantico

Handset Maker

Motorola

Handset Model Name

W845 Quantico

FCC ID

IHDT56KS1

Air Interfaces/Frequency Bands

850 MHz CDMA

1800 MHz CDMA

Dates

This handset model was offered from: 04/10 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

FEATURE

Remarks

Handset 3: LG AX265

Handset Maker

LG

Handset Model Name

AX265

FCC ID

BEJAX265

Air Interfaces/Frequency Bands

850 MHz CDMA

1800 MHz CDMA

Dates

This handset model was offered from: 08/10 to 12/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 4: Research In Motion Limited 9550 Storm 2

Handset Maker

Research In Motion Limited

Handset Model Name

9550 Storm 2

FCC ID

L6ARCK70CW

Air Interfaces/Frequency Bands

850 MHz CDMA

1800 MHz CDMA

Dates

This handset model was offered from: 08/10 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMART

Remarks

Handset 5: HTC HERO200

Handset Maker

HTC

Handset Model Name

HERO200

FCC ID

NM8HERO200

Air Interfaces/Frequency Bands

850 MHz CDMA

1800 MHz CDMA

Dates

This handset model was offered from: 08/10 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMART

Remarks

Handset 6: Kyocera M2000

Handset Maker

Kyocera

Handset Model Name

M2000

FCC ID

OVF-K4802

Air Interfaces/Frequency Bands

850 MHz CDMA

1800 MHz CDMA

Dates

This handset model was offered from: 05/10 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 7: Samsung R600

Handset Maker

Samsung

Handset Model Name

R600

FCC ID

A3LSCHR600

Air Interfaces/Frequency Bands

850 MHz CDMA
1800 MHz CDMA

Dates

This handset model was offered from: 04/10 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 8: Samsung R350**Handset Maker**

Samsung

Handset Model Name**FCC ID**

R350

BEJ VX9200

Air Interfaces/Frequency Bands

850 MHz CDMA
1800 MHz CDMA

Dates

This handset model was offered from: 04/10 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 9: LG 9250

Handset Maker

LG

Handset Model Name

9250

FCC ID

BEJVB9200

Air Interfaces/Frequency Bands

850 MHz CDMA

1800 MHz CDMA

Dates

This handset model was offered from: 08/10 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

FEATURE

Remarks

Handset 10: LG 840

Handset Maker

LG

Handset Model Name

840

FCC ID

BEJAX840

Air Interfaces/Frequency Bands

850 MHz CDMA
1800 MHz CDMA

Dates

This handset model was offered from: 08/10 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

FEATURE

Remarks**Handset 11: Kyocera M1400****Handset Maker**

Kyocera

Handset Model Name**FCC ID**

M1400

OVFK50-03

Air Interfaces/Frequency Bands

850 MHz CDMA
1800 MHz CDMA

Dates

This handset model was offered from: 05/10 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 12: Motorola CRUSH

Handset Maker

Motorola

Handset Model Name

CRUSH

FCC ID

IHDP56KB1

Air Interfaces/Frequency Bands

850 MHz CDMA

1800 MHz CDMA

Dates

This handset model was offered from: 04/10 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

FEATURE

Remarks

Handset 13: Kyocera E2000

Handset Maker

Kyocera

Handset Model Name

E2000

FCC ID

BEJAX840

Air Interfaces/Frequency Bands

850 MHz CDMA
1800 MHz CDMA

Dates

This handset model was offered from: 05/10 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

FEATURE

Remarks**Handset 14: Samsung R810****Handset Maker**

Samsung

Handset Model Name**FCC ID**

R810

A3LSCHR810

Air Interfaces/Frequency Bands

850 MHz CDMA
1800 MHz CDMA

Dates

This handset model was offered from: 04/10 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

FEATURE

Remarks

Handset 15: LG LG430

Handset Maker

LG

Handset Model Name

LG430

FCC ID

BEJUN430

Air Interfaces/Frequency Bands

850 MHz CDMA

1800 MHz CDMA

Dates

This handset model was offered from: 08/10 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 16: HTC 6850

Handset Maker

HTC

Handset Model Name

6850

FCC ID

NM8RAPH500

Air Interfaces/Frequency Bands

850 MHz CDMA
1800 MHz CDMA

Dates

This handset model was offered from: 04/10 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMART

Remarks

Handset 17: HTC 6950**Handset Maker**

HTC

Handset Model Name**FCC ID**

6950

NM8DIAM500

Air Interfaces/Frequency Bands

850 MHz CDMA
1800 MHz CDMA

Dates

This handset model was offered from: 04/10 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMART

Remarks

Handset 18: Kyocera S2300

Handset Maker

Kyocera

Handset Model Name

S2300

FCC ID

OVF-K5302

Air Interfaces/Frequency Bands

850 MHz CDMA

1800 MHz CDMA

Dates

This handset model was offered from: 05/10 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 19: Samsung SCH-i500

Handset Maker

Samsung

Handset Model Name

SCH-i500

FCC ID

A3LSCHI500

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/11 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMART

Remarks**Handset 20: Motorola MB867****Handset Maker**

Motorola

Handset Model Name**FCC ID**

MB867

IHDT56MJ1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMART

Remarks

Handset 21: LG VX8575

Handset Maker

LG

Handset Model Name

VX8575

FCC ID

BEJVBX8575

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

FEATURE

Remarks

Handset 22: LG AS855

Handset Maker

LG

Handset Model Name

AS855

FCC ID

BEJLS855

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMART

Remarks

Handset 23: Samsung SCH-R580**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-R580

A3LSCHR580

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

FEATURE

Remarks

Handset 24: Samsung SCH-R631

Handset Maker

Samsung

Handset Model Name

SCH-R631

FCC ID

A3LSCHR631

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

FEATURE

Remarks

Handset 25: Motorola MB809

Handset Maker

Motorola

Handset Model Name

MB809

FCC ID

IHDT56LB1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/11 to 09/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMART

Remarks

Handset 26: Samsung Galaxy SII R760**Handset Maker**

Samsung

Handset Model Name**FCC ID**

Galaxy SII R760

A3LSCHR760

Air Interfaces/Frequency Bands

850 MHz CDMA
1800 MHz CDMA

Dates

This handset model was offered from: 06/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMART

Remarks

Certification

This Report has been certified by:

Paul M Cox Vice President
01/15/2013 02:19 PM